## **Response to queries - Replacement of Data Network and PABX**

PABX System	
Analogue /Digital Ports	
Grateful to specify the Quantity / Number of	45
Analogue Ports	
Grateful to specify the purpose of the Analogue	
Ports – Example. FAX, Analogue Phones	
a. Number of Fax Machines through the FXS	
ports:	20
b. Number of Analogue Phones for the FXS	25
ports:	
Grateful to specify the Quantity / Number of	230
Digital Ports	
Grateful to specify the purpose of these Digital	
Ports – Example. Cordless Phones / Hi-Tech	
Digital Phones	
a. Number of Cordless Phones through the FXS	
ports	10
b. Number of Hi-Tech Digital Phones for the FXS	
ports	22
FAX Server – Fax Integration & Fax to Email Please mention the	
Please mention the	Vander to propose
a. Number of FAX to E-mail users	Vendor to propose
b. Number of simultaneous users for FAX to E-	Vendor to propose
mail.	
Voicemail – Unity Connection	
Kindly specify the number of users who require	230
Voicemails.	
Kindly specify the number of simultaneous	

channels / ports (in other word concurrent users)	
Required a. for Voicemails	Vendor to propose
b. Auto-Attendant (Used for IVR)	Vendor to propose
GSM Gateway	
GSM Gateway comprises of various models and	4 port GSM Gateway
each model having various capacity to hold right	
from 4 Port GSM Gateway to a 120 Port – SIM	
Server.	
Kindly specify the required number of GSM Ports	
to be provisioned	
Call recording /Monitoring	
Pls specify if the recording are going to be done for	
a. Only Incoming and Outgoing External Calls that at PRI/BRI or GSM gateway level	External and Internal
b. Based on internal extension (recording	
of all incoming and outgoing calls)	
i. If this is the case please specify the number of	
extensions to be monitored and recorded	
	230
c. Any other scenario the Bank wish to have	Vendor to propose
Conferencing	
Kindly specify the required maximum number of	6
concurrent participants in a conference session a.	
Ex. Three Party Conference, Four Party	

Conference, etc		
Kindly specify the maximum number of	10	
simultaneous conference sessions required.		
Ex. 4 x 3 party conference.		
Cabling		
Grateful to provide with the Existing Cabling Details		
Date of Implementation	-	
Structured Cabling for PoE IP Phones	-	
Category Of Cabling	CAT6	
Testing of Cable	-	
Warranty of Cable	-	
Certification Date of Cable	-	
Data Network		
Core switch		
Appendix C, Table III: Technical compliance for		
Core Switch		
a. Uplink port 24X1 GB Port		
Please specify the type of port whether UTP or Fibber port required to connect to access switch	Fiber port	
b. Virtualization service Please elaborate more on	It simplifies vlan provisioning over the existing IP backbone	

Virtualization service that need to be supported by core switch.	
c. Expansion through cascading Grateful to clarify the meaning of Cascading for the Core Switch?	Cascading allows to add more ports to an existing network
Level/Access Switch	
a. Gigabit Uplink 2x1 GE Uplink Please specify the type of port whether UTP or Fiber port required to connect to access switch. In case Fiber port, how many transceiver per switch need to be proposed	Fiber port with at least 2 transceiver per switch.
b. IP phone and PC need to be connected on single port on the switch?	Vendor to propose
Firewall and IPS	
Can Firewall and IPS be proposed in single appliance while respecting the system capacity and features of both Firewall & IPS? Network Monitoring Tool	Bidder can propose multiple solutions.
Server (Hardware and OS) need to be proposed to	May quote hardware and provide specifications as well
install the Network monitoring application or will be provided by BOM?	whay quote hardware and provide specifications as were
Data Network	
Cabling	
Page 9 under part 4 Approach and methodology of the RFP, the adequacy of the cabling is required to be assessed. Does that imply:	Both

a. Only Fiber Cabling	
b. Only UTP Cabling	
c. Or both Fiber and UTP Cabling	
How many servers are there?	As mentioned in the tender
What is the number of ports on each of the existing	Refer to page 18 of tender document
servers?	
1. Per server	
2. Total with (all servers)	
How are the servers connected to the	
1. Server switches (if this is the case)	
1. Fibre	
1. Please provide the full specs for Fiber	multimode
(Single Mode or multimode)	
2. Type of connectors (SC-SC, SC-LC,	LC-LC
SC-FC, LC-LC etc)	
2. UTP	
Category?	Cat6
2. Core switches (if this is the case)	
1. Fibre	
1. Please provide the full specs for	multimode
Fiber (Single Mode or multimode)	
2. Type of connectors (SC-SC, SC-LC, SC-	LC-LC
FC,LC-LC etc)	
Where are the servers located with regards to the	Same room
Core Switch?	
Are they in the same room	
Are they in the same rack	Different rack
If they are if in different rack within the same	Vendor to propose

room, what is the maximum length of cable to be catered for the inter-rack connection?	
How many ports are required for Servers?	-
No specifications have been provided for the server switches. 1. Please provide the technical specification of the Server Switch?	Uplink min of 1 Gigabit Vendor to propose alternatives
Bid Sumission Date	
Bid Submission Date	
The bid submission date for the Tender Reference Replacement of existing data network and PABX infrastructure is 31st of January 2014, which is a public holiday in Mauritius a. Grateful to advise if the submission date of 31st of January 2014 could be postponed to Monday 3rd of February 2014.	The closing date for the submission of bids for the tender "Replacement of existing data network and PABX infrastructure" has been postponed to Monday 3 February 2014 up to 15.00 hours (local time)
Data Network Section	
A total of six 10G port have been requested on the chassis, however there are five server switches on the network. Kindly advise if all server switches need 10G fiber connection, and also advise if the two firewall switches also each need one 10G fiber connection	Vendor to propose alternative
Two firewall switches are needed on the main site. Are same amount needed on the DR site?	Vendor to propose
Is the IPS needed as a separate physical component or it can be integrated on the external firewall	Separate

The RFP document (page 33) mentions the requirement for Network Admission Control on Level Switches. Is that needed as a physically dedicated layer to provide Network Admission Control for workstations on the network?	"Bidders are to provide features for the NAC supported by the level switch or NAC solution being proposed in addition if not supported on proposed switches."
How many workstations will be routed through the NAC?	All
IP Telephony Related queries for BoM	
What is the make and model of the current PaBX ?	Nortel Meridian CS1000
What are the current IP Phone models that are already in place?	i2001, i2002, i2004
What is the OS running on the PCs on which Desktop software will be installed	Multiple of Windows OS
What power sockets are currently available in BoM (Europe or UK)	Power socket standard / UPS – UK
How many concurrent GSM calls are required by BoM?	50
Will IP Phones also be required in the DR Facility? If yes, what category is required (Executive, lobby, etc)	Analogue Phones
Will Rodrigues branch also require IP Phones? If yes, please provide more details about IP Phone category required	Analogue Phones
Please clarify how many users in all will require voicemail feature	250 users
Is the Desktop Messaging software required to make voice and video calls also?	Yes
Concerning call recording, please provide us the following information	All users - 250

a. Number of users for which calls will be recorded (is it for all users or part of them)				
	7			
b. For how many years will BoM keep the	7 years			
recordings				
c. What is the approximate number of	-			
incoming and outgoing calls per day at BoM				
Please clarify whether the whole staff at BoM will	Whole staff			
need to be trained or it will be only part of them	N			
Please specify if BoM already have access points	Please quote			
for WiFi Phones connectivity or should we quote?	<b>T7 1</b>			
Do the proposed IP Phones mandatorily need to	Vendor to propose			
support IAX to be able to integrate with Asterisk				
or it is possible to use SIP for the purpose?	20			
Please specify how many analog fax machines will	20			
be integrated with the new PaBX. We will need to				
cater same amount of analog ports in the quote				
Please clarify if attendant console software will be Attendant console required, 3 licens		es		
needed at the reception. Note that and attendant				
console software replaces a traditional switchboard				
for more effective handling of calls. If required				
please specify the number of user license required.				
Site visits	No site visits will be entertained			
PABX Infrastructure:				
Pg 44 C.9:				
Are digital ports required on the system?		Yes		
Is External MOH required on the PABX System?		Yes		
Pg 47 C.10				
Is communication protocol IAX (Inter-Asterix Excl	SIP(mandatory)			
System?	Bidders are invited to specify			
	other supported Trunk			
		protocols		

Voice Recorder:		
Is voice recording needed for all Extensions or only some Extensions	All	
Is voice recording needed for all incoming and Outgoing Calls to the Bank or Extensions	All	
or only some Extensions.		
DR SITE:		
Pg 20 - 'No PABX Hardware is required at the DR Site':	Yes	
Do we need to quote for the DR equipment in this tender?	'No PABX Hardware is required at the DR Site'	
Would the bank consider having a PABX from the same manufacturer or another	Not applicable	
manufacturer for the DR		
Would the main site and DR site require interconnection (Voice, Video and Data)?	No	
Do we need to quote for voice recording for the DR also?	No	
Firewall/IPS:		
Do you require AC or DC Power Supplies?	AC	
What is the actual Internet Connectivity for the main and DR sites?	Main – ADSL 4 Mb, DR – ADSL 2 Mb	
Which interfaces should we propose, Copper, Fiber, 1GE or 10GE? Short Range or Long	Vendor to propose	
Range Fibres?		
Should the APT and Zero-day protection cover web, email and file.	Yes	
Should unknown, zero-day, polymorphic malware or even targeted attacks(like	Yes	
Cryptolocker) protection apply to machines whether they are in or outside the network? If	Windows Server 2008 r2, Windows 7, Windows XP	
so, which Windows OS version do you have across the 250 workstations?		
Web Application Firewall:		
How many web apps do we need to protect?	1 domain *.bom.mu including subdomains	
What is the TPS (Transactions per Second) of application traffic do you see on the		
"pipes"? If TPS is unknown then:		
What is the throughput in Mbps on each link (specify how many links)	4 Mbps	
What % of the Web Traffic is SSL?	80 - 100 %	
Do you required Hardware or Virtual appliances	Hardware	

Do you need HA / Test or DR appliances?			Vendor to propose		
Are all of the servers in the same location? If not, please elaborate. (a network diagram showing the webservers will also help).		Yes			
estion					
make the solution design		ing syste	em, could we	No site visits will b	be entertained
survey to the site of this					
	Original Statements	Questi	ions		Answers
C.5. Intrusion Prevention System	No. of switches	a SWI	Our IPS is a professional IPS device. Isn`t a SWITCH with Security blade. If the		Yes
C.5. Intrusion Prevention System	Inline simulation	Our IPS device support inline deployment mode and offline deployment mode. Are you asking for IPS device supporting inline deployment mode?		oyment mode. Are vice supporting	Yes, both
	Original Statements	Questi	ions		Answers
4.1. Data Network Infrastructure	An overview of how the new network infrastructure of the Bank can be is provided below	<ul> <li>1 which switch is the distribution switch that currently be used at the bank? Is the switch which connects to management VLAN?</li> <li>2 Management VLAN, does this mean that all the switches in this topology are in this same VLAN? All the switches are managed by in-band business ports VLAN, rather than by out-of-band management ports?</li> </ul>		at the bank? Is the to management I, does this mean this topology are All the switches are usiness ports out-of-band	Yes
	he servers in the same loe e webservers will also he estion make the solution design survey to the site of this C.5. Intrusion Prevention System C.5. Intrusion Prevention System 4.1. Data Network	he servers in the same location? If not, please elaborate e webservers will also help). estion make the solution design perfect, especially for the cabl survey to the site of this project? C.5. Intrusion Prevention System C.5. Intr	he servers in the same location? If not, please elaborate. (a network webservers will also help).	he servers in the same location? If not, please elaborate. (a network diagram e webservers will also help). estion make the solution design perfect, especially for the cabling system, could we survey to the site of this project? C.5. Intrusion Prevention System C.5. Intrusion Prevention System Prevention System Prevention System Original Statements C.5. Intrusion Prevention System Original Statements Questions Our IPS device suppor mode and offline deploy you asking for IPS de inline deployment mod inline deployment mod inline deployment mod inline deployment mod inline deployment mod inline simulation Original Statements Questions 4.1. Data Network Infrastructure Original Statements Questions I which switch is the c that currently be used a switch which connects VLAN? 2 Management VLAN that all the switches in in this same VLAN? / managed by in-band b VLAN, rather than by management ports?	he servers in the same location? If not, please elaborate. (a network diagram yes webservers will also help).

			Internet routers and external firewall? generally, there are no such switch, router directly connecting to firewall.	number of connections, then no such switch would be required
18	4.1. Data Network Infrastructure	An overview of how the new network infrastructure of the Bank can be is provided below	The table lists the switches currently in use. Would you like to provide their types and names? How long has they been used? Which will be continuously used? Which will be took place of?	All are Nortel equipment
19	4.1. Data Network Infrastructure	Disaster Recovery site	Should we quote for the equipments of this site?	Yes
30	C.1. Core Switch	Aggregate bandwidth capacity	<ul> <li>1 what is the "Aggregate bandwidth capacity"</li> <li>2.what is the "Expansion through cascading "</li> <li>3.what is the "Diagnostic LEDs"</li> <li>4"uplink support(facing the server zone switches)", how does core switch connect to server zone switches, though firewall, or directly?</li> </ul>	Throughput Possible extension of no. of ports by connecting switches Indicating lights for errors Via firewall
30	Appendix C Technical Specifications		<ul><li>1 what is technical compliance for server zone switch? Does it use the old switches?</li><li>2 what about the storage in the server zone? How does server connect to storage, FC SAN or IP SAN?</li></ul>	Uplink min of 1Gigabit Vendor to propose alternatives Through FC switch
PBX				
Page No.		Original Statements	Questions	Answers
45	C.9 PABX Infrastructure	Personalised Voice mail Standard Voice mail	What is the difference between personalised and standard voice mail?	Personalised – customized Standard - default

			Would you please describe detailly.	
57	Appendix D IT Security Compliance	2.8 Call managing software must block IP Phones from downloading any binaries other than what IP Phones require to operate	Why do we need this feature? Would you please briefly describe the application scenario.	For security purpose
59	Appendix D IT Security Compliance	2.31 Simple TCP/IP services that enable unnecessary enticement information services to run must be removed	What's the meaning of this feature? Would you please briefly describe the application scenario.	System should be able to enable/disable TCP/Ip services
Commercial				
Page No.		Original Statements	Questions	Answers
7	1	For evaluation and comparison purposes, the bidder is required to convert all prices obtained in amounts in various currencies into an amount in a single currency which is the Mauritian Rupee (MUR). The successful bidder will be contracted to the stated amount in Mauritian Rupee only.	<ol> <li>If the foreign bidder is qualified to take part in this tender?</li> <li>what is the trade term for supplying in accordance with INCOTERMS?</li> <li>3. If it is possible to pay foreign qualified bider in a freely convertible currency such as USD?</li> </ol>	Yes All equipment should be delivered at Bank's premises. All cost to be borne by vendors (CIF and all taxes) Payment may be made in USD but amount quoted in MUR will be converted to appropriate currency at date of payment rate
Service				
Page No.		Original Statements	Questions	Answers

12	2.21. Implementation phases Paragraph "Installation and configuration:"	This includes the installation and configuration of the hardware and software needed for the successful running of the system, including all its components at the various locations where it is	After the implementation including installation and commission for the new equipment, is it in the scope of work for the bidder to do the service cutover from the existing system to the new one?	Yes
		intended to be used.		
22	4.3. Other Requirements Paragraph "Training Delivery"	Participants must at the end of the course be able to train other users or new entrants in standard use of the system.	How many participants will be trained?	10 technical + 250 user phones
XV:11 and here		e e c'a color hara d		
Will we be penalized if we only quote a singular brand.		No, provided all requirements are met		
Regarding the pen test how many IP addresses			50	
Concerning voice recording requirements how many users are targeted		250		
<u> </u>	· · · · · · · · · · · · · · · · · · ·	A 1		
Can we have a site visit for the Local Area part and any necessary cabling works that needs to be done			No site visits will be entertained	
External Firewall:				
Does Bank of Mauritius have their existing External firewall?				
Does our company need to supply the external firewall?			Yes Yes	
			105	

As per diagram provided, connectivity is not within the new	
scope, but about what changes that are to be made on the external	Connectivity is within the scope and configuration of the firewall to be done by
firewall?	vendor as well as to ensure connectivity is maintained
VPN / Radius / Two-factor Authentication	
Does RSA, do bank of Mauritius require local authentication or	
centralized authentication using radius server?	
For Remote access VPN,:	No
How does the actual VPN works?	
Model of the router/firewall being used for VDN	Confidential
Model of the router/firewall being used for VPN (ipSEC/SSL)	Confidential
(IPSEC/SSL)	Confidential
How to do VPN authentication? Integrate with AD? Do locally?	
now to do virte autometication: integrate with rip. Do tocary.	Locally but in the future both are needed
Who gets access to VPN? Internal users? Other institutions?	Locury out in the future cour are needed
External users (not BoM users)?	Internal/External/Other institutions
What does bank prefer - Soft tokens or hardware tokens?	
Server zone:	
How many physical servers do Bank of Mauritius have (how	
many physical connections to switches we required)	Refer to table page 18
Number of virtual machines etc?	
Tardhalana'n a	
Load balancing:	
Application load balancing and database load balancing	Please refer to page 16
Application load balancing and database load balancing	riease leter to page 10
connectivity (redundancy)	
connectivity (reduinduney)	
Which applications	

Number of servers	
Redundancy	
Should solution take care of failover of applications itself?	
Management zone:	
Should management console only to be accessed in the management zone or also in server zone	Both
Is server and network management zone separate or consist of only one management zone?	Separate
Application load balancing and database load balancing	
Network monitoring:	
Network monitoring:         Will bank Provide server	May quote hardware and provide specifications as well
	May quote hardware and provide specifications as well
Will bank Provide server	May quote hardware and provide specifications as well To be stored in same server
Will bank Provide server Storage of logs – file server?	
<ul> <li>Will bank Provide server</li> <li>Storage of logs – file server?</li> <li>Is Redundancy on application required?</li> <li>Will run on VM clustered? What about database? Will we have a</li> </ul>	To be stored in same server
<ul> <li>Will bank Provide server</li> <li>Storage of logs – file server?</li> <li>Is Redundancy on application required?</li> <li>Will run on VM clustered? What about database? Will we have a clustered MSSQL database?</li> </ul>	To be stored in same server
<ul> <li>Will bank Provide server</li> <li>Storage of logs – file server?</li> <li>Is Redundancy on application required?</li> <li>Will run on VM clustered? What about database? Will we have a clustered MSSQL database?</li> <li>Does main site monitor DR and vice versa?</li> </ul>	To be stored in same server

Number of segments to protect         Server provision	Vendor to propose	
DR site:		
Does it have tiered architecture there too?	No	
Will need WAF/2-factor VPN access?	Yes	
WAF		
What applications should it be protecting? Any web servers for e.g.?	Any web applications	
Internal Firewalls (our company to provide)		
<ul><li>Will it be running blades like URL filtering etc or is it done by other solution (for sizing)?</li><li>What kind of reporting bank expects? (w.r.t licensing of Smart* applications)</li></ul>	Vendor to propose	
How many hosts (internal/external) they require Vulnerability Management for If they require PCI/DSS or Web Application Scanning and If yes for 2: for how many websites/hosts.	50 Yes *.bom.mu Only one domain but could be multiple sub domains	
Network and PABX Infrastructure		
What is the current team size to manage the Network?	3	
Does Network hardware include device count for DR site as well? If not, how many devices we need there?	Please refer to Page 19	
Which tool is currently used by Bank of Mauritius for monitoring?	Confidential	
Is Bank of Mauritius looking for remote Assistance outside office	Yes, please propose as in given Maintenance Agreement	

premises?	
Please provide us the SLA's defined by Bank of Mauritius for	-
Networks?	
Is there any penalty involved during the implementation and go-	Will be stipulated in contract to be signed with successful bidder
live stage?	